



Scan QR Code for current pricing.

WOODBURNING FIREPLACES

OUTDOOR WOODBURNING FIREPLACES

FIREPLACES, VENTING AND ACCESSORIES

REV: 01/12/26

Woodburning fireplaces never go out of style, especially in a backyard setting. Superior’s line of Outdoor Woodburning Fireplaces offers quality fireboxes for outdoor use, with multiple size options and aesthetic choices to suit a variety of backyard fireplace designs.

LITERATURE

Item #	Description
785473M	Superior Wood Burning - WRE3000
785471M	Superior Wood Burning - WRE4500
785470M	Superior Wood Burning - WRE6000

TABLE OF CONTENTS

WOOD FIREPLACE

- WRE 3000 Pro Series..... 2
- WRE 4500 Custom Series..... 3
- WRE 6000 Signature Series..... 4

LOG LIGHTERS, VALVES & KEYS

- Log Lighters, Valves & Keys 5

VENTING

- 8DM Series..... 6
- 12DM Series..... 6

WOOD ACCESSORIES

- Grates, Log Racks, Tool Set & Screen 7

OUTDOOR WRE 3000 PRO SERIES

Woodburning Fireplace



WOODBURNING FIREPLACES




SPECIFICATIONS *Uses 8DM 1700° chimney. See page 6.*

- Radiant smooth-faced
- Refractory white stacked or herringbone panels
- Heavy duty stainless steel log grate
- Easy access damper control
- Stainless steel screens retract into hidden screen pockets
- Adjustable outside air damper
- Stainless steel construction for long lasting outdoor use

WOOD FIREPLACE *Standard size with refractory panels.*

Item #	Description	Refractory Panels	Retail
WRE3036WS	36" Fireplace	Stacked Brick	\$2,519
WRE3036WH	36" Fireplace	Herringbone Brick	\$2,629
WRE3042WS	42" Fireplace	Stacked Brick	\$3,469
WRE3042WH	42" Fireplace	Herringbone Brick	\$3,569



Stacked Refractory Panel



Herringbone Refractory Panel

DOORS *(Optional)*

Item #	Description	Retail
BDO36	36" Bi-Fold Doors, Black	\$336
BDO42	42" Bi-Fold Doors, Black	\$393



Bi-Fold Door, Black

OPTIONS

Item #	Description	Retail
DP36	36" Drain Pan w/1" Stainless Decorative Face Ext (Adds 1" to framing height)	\$314
DP42	42" Drain Pan w/1" Stainless Decorative Face Ext (Adds 1" to framing height)	\$371
HS36	36" Stainless Steel Hood w/4" Brow	\$247
HS42	42" Stainless Steel Hood w/4" Brow	\$314

Unit	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
WRE3036	Left & Right	35"W x 21"H x 14 1/4"D	41 3/4"	41 3/4"***	21 1/8"
WRE3042	Left & Right	39"W x 24"H x 16 1/4"D	49 3/4"	47 1/4"***	23 1/2"

* Consult a manual for complete installation requirements.

**Drain Tray Adds 1" to framing height.

OUTDOOR WRE 4500 CUSTOM SERIES

Woodburning Fireplace



SPECIFICATIONS *Uses 12DM 1700° chimney. See page 7.*

- 30" tall opening with panels extending to the front edge
- Fully insulated firebox
- Heavy duty stainless steel log grate
- Easy access damper control
- Includes stainless steel mesh fire screens
- Stainless steel construction for long lasting outdoor use
- Refractory white stacked or herringbone panels

WOOD FIREPLACE *X-Large opening with refractory panels.*

Item #	Description	Refractory Panels	Retail
WRE4536WS	36" Fireplace	Stacked Brick	\$5,509
WRE4536WH	36" Fireplace	Herringbone Brick	\$5,609
WRE4542WS	42" Fireplace	Stacked Brick	\$5,599
WRE4542WH	42" Fireplace	Herringbone Brick	\$5,729
WRE4550WS	50" Fireplace	Stacked Brick	\$5,889
WRE4550WH	50" Fireplace	Herringbone Brick	\$6,009



Stacked Refractory Panel



Herringbone Refractory Panel

DOORS *(Optional)*

Item #	Description	Retail
BDG36	36" Bi-Fold Door, Black	\$561
BDG42	42" Bi-Fold Door, Black	\$618
BD50	50" Bi-Fold Door, Black	\$618



Bi-Fold Door, Black

WOODBURNING FIREPLACES

Minimum Framing Dimensions*

Unit	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
WRE4536	Left & Right	36"W x 30"H x 20"D	45 3/4"	67 1/2"	28 1/4"
WRE4542	Left & Right	42"W x 30"H x 23 1/2"D	51 3/4"	67 1/2"	30 1/4"
WRE4550	Left & Right	50"W x 30" H x 23 1/4"D	59 3/4"	67 1/2"	30 1/4"

* Consult a manual for complete installation requirements.

OUTDOOR WRE 6000 SIGNATURE SERIES

Woodburning Fireplace



SPECIFICATIONS *Uses 12DM 1700° chimney. See page 7.*

- 30" tall opening with firebrick extending to the front edge
- Fully insulated firebox
- Heavy duty stainless steel log grate
- Easy access damper control
- Includes stainless steel mesh fire screens
- Stainless steel construction for long lasting outdoor use
- 16 refractory firebrick choices

Must purchase fireplace and masonry firebrick to make a complete unit.

WOOD FIREPLACE *X-Large opening*

Item #	Description	Retail
WRE6036	36" Masonry Fireplace (requires firebrick)	\$4,869
WRE6042	42" Masonry Fireplace (requires firebrick)	\$4,979
WRE6050	50" Masonry Fireplace (requires firebrick)	\$5,239

MASONRY FIREBRICK *(Required)*

Color Key

Midnight	Slate Grey
Ivory	Warm Red



	Full Stacked	Split Stacked	Full Herringbone	Split Herringbone
36" Fireplace	\$3,258	\$3,482	\$3,370	\$3,595
42" Fireplace	\$3,482	\$3,707	\$3,595	\$3,819
50" Fireplace	\$3,595	\$3,819	\$3,707	\$3,932

Call Empire for Item Number.

DOORS *(Optional)*

Item #	Description	Retail
BDMO36E	36" Bi-Fold Door, Ebony	\$1,011
BDMO42E	42" Bi-Fold Door, Ebony	\$1,123
BDMO50E	50" Bi-Fold Door, Ebony	\$1,235



Bi-fold Door

Unit	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
WRE6036	Left & Right	36"W x 30"H x 19"D	45 5/8"	67 1/8"	30 1/8"
WRE6042	Left & Right	42"W x 30"H x 21 3/4"D	51 1/8"	67 1/8"	31"
WRE6050	Left & Right	50"W x 30"H x 21 3/4"D	59 3/4"	67 1/8"	31"

* Consult a manual for complete installation requirements.

WOODBURNING FIREPLACES

Gas Lighters provide an easy way to light a wood fire in a fireplace.

New Installation Requires:

- 1 - Valve Combo Pack
- 1 - Universal Gas Mixer
- 1 - Log Lighter Burner Pipe

DANTE VALVE COMBO PACK

Designed to be used with Log Lighter with Mixing Chamber.
Includes: Dante Valve, Floor Plate, and Key

Item #	Description	Retail
CP.910.BR	Straight ½" Valve, Brass w/ Key	\$34
CP.910.CR	Straight ½" Valve, Chrome w/ Key	\$34
CP.910.FB	Straight ½" Valve, Black w/ Key - NEW	\$46
CP.911.BR	Angled ½" Valve, Brass w/ Key	\$34
CP.911.CR	Angled ½" Valve, Chrome w/ Key	\$34
CP.911.FB	Angled ½" Valve, Black w/ Key - NEW	\$46
CP.BVS2.CR.B	Straight ¾" Valve, Chrome (Key Not Included)	\$52



UNIVERSAL GAS MIXERS

Item #	Description	Retail
711.U.LP	Liquid Propane Mixer (approximately 4" in length.)	\$22
711.U.NG	Natural Gas Mixer (approximately 4" in length.)	\$22



Universal Gas Mixer, LP

BURNER PIPES - STAINLESS STEEL

Item #	Description	Retail
717SS	17" Stainless Steel Burner Pipe	\$33
724SS	24" Stainless Steel Burner Pipe	\$52
730SS	30" Stainless Steel Burner Pipe	\$60



Stainless Steel Burner Pipe

KEYS

A universal gas key is the perfect tool for controlling gas in your fireplace.
Works with 1/4" and 5/16" socket sizes.

Item #	Description	Retail
NKY.3.BR	3" Gas Valve Key, Brass	\$7
NKY.3.CR	3" Gas Valve Key, Chrome	\$7
NKY.8.BR	8" Gas Valve Key, Brass	\$10
NKY.8.CR	8" Gas Valve Key, Chrome	\$10
NKY.12.BR	12" Gas Valve Key, Brass	\$15
NKY.12.CR	12" Gas Valve Key, Chrome	\$15
NKY.18.BR	18" Gas Valve Key, Brass	\$21
NKY.18.CR	18" Gas Valve Key, Chrome	\$21
NKY.24.BR	24" Gas Valve Key, Brass	\$28
NKY.24.CR	24" Gas Valve Key, Chrome	\$28



8DM & 12DM SERIES

Chimney Components



CHIMNEY

Description	8"		12"	
	Item #	Retail	Item #	Retail
12" Chimney Section	12-8DM	\$90	12-12DM	\$157
18" Chimney Section	18-8DM	\$112	18-12DM	\$180
24" Chimney Section	24-8DM	\$146	24-12DM	\$224
36" Chimney Section	36-8DM	\$180	36-12DM	\$292
48" Chimney Section	48-8DM	\$191	48-12DM	\$447

ELBOWS

Description	8"		12"	
	Item #	Retail	Item #	Retail
30° Elbow (Offset & Return)	30E-8DM	\$202	30E-12DM	\$419

SUPPORTS

Description	8"		12"	
	Item #	Retail	Item #	Retail
Chimney Support (for use with chimney heights in excess of 30')	12S-8DM	\$56	12S-12DM	\$214
Roof Support (use with flashing)	38RS	\$141	-	-

FIRESTOPS/THIMBLE

Description	8"		12"	
	Item #	Retail	Item #	Retail
Firestop Spacer	3600FS-8DM-1	\$45	FS-10	\$68
Firestop Spacer, 30°	30FS-8DM	\$78	30FS-10	\$90
Firestop Thimble (used when penetrating a joist)	38FST	\$129	FST10 (Requires FS-10)	\$141
Firestop Thimble, 30° (used when offsetting through a joist)	FST30	\$129	-	-

ROOF FLASHINGS

Description	8"		12"	
	Item #	Retail	Item #	Retail
0 to 6/12 Pitch Flashing	V6F-8DM	\$202	V6F-10DM	\$202
6/12 to 12/12 Pitch Flashing	V12F-8DM	\$259	V12F-10DM	\$259

CHIMNEY TOPS/STORM COLLAR

Description	8"		12"	
	Item #	Retail	Item #	Retail
Round Top w/ Mesh Screen	RT-8DM	\$123	-	-
Round Top w/ Louvers	RLT-8DM	\$135	RLT-12DM	\$281
Round Top w/ Slip Section & Mesh	RTT-8DM	\$180	-	-
Square Top w/ Slip Section, Black	ETL-8DM-K	\$224	STL-12DMP	\$561
Storm Collar	SC1-1	\$45	SC2-1	\$45

Unit	Chimney Size
WRE 3000 Pro Series	8" Chimney
WRE 4500 Series	12" Chimney
WRE 6000 Series	12" Chimney

WOODBURNING FIREPLACES

ACCESSORIES

Grates, Log Racks, Tool Set & Screen

GRATES (Pilgrim)

Stainless Steel Grates H = Height | FW = Front Width | BW = Back Width | D = Depth



Item #	Description	H	FW	BW	D	Retail
18633	Grate	4"	22"	16"	16 ¼"	\$208
18634	Grate	4"	25"	21"	16 ¼"	\$224
18635	Grate	4"	28"	25"	16 ¼"	\$269
18636	Grate	4"	32"	27"	16 ¼"	\$314

LOG RACKS (Hy-C)



Log Rack
Small
28"L x 12"W x 33"H

SLRS \$123



Log Rack
Medium
45"L x 14"W x 46"H

SLRM Rack \$138
SLRCD-M Cover \$64



Log Rack
X-Large
96"L x 14"W x 46"H

SLRXL Rack \$228
SLRCD-XL Cover \$104



Log Rack Cover

WOODBURNING FIREPLACES

TOOL SET (Pilgrim)



28" Newport
Stainless Steel
18092 \$399

SCREEN (Pilgrim)



39" W x 31"H Newport
Stainless Steel
18257* \$409

*Special Order

See the *Hearth Accessories* section of our *Empire Distributing Hearth Catalog* for additional Accessories.