



Scan QR Code
for current
pricing.

STONE AGE OUTDOOR

STONE AGE OUTDOOR LIVING KITS

FIREPLACES | PIZZA OVENS | FIRE PITS

REV: 02/25/26

TABLE OF CONTENTS

OUTDOOR FIREPLACE KITS

- Why Use a Stone Age Kit?..... 2
- Contractor Series 4
- Standard Series 4
- New Age Series 8
- New Age Chimney Systems..... 10

PIZZA OVEN KITS

- Vecchio/Mezzo/Amerigo 12

PIZZA OVEN/FIREPLACE COMBOS


- Mezzo Vent Free 12
- Caminetto Medeo & Grande 14

FIRE PIT KITS

- Short Round 15
- Tall Round 15
- Large Round 15
- Square/Rectangular 15
- Gas Burner Kits for Fire Pits 16



WHY USE STONE AGE OUTDOOR FIREPLACE KITS?



STONE AGE OUTDOOR

WHY USE AN OUTDOOR FIREPLACE KIT:


Outdoor Fireplace Kits make installing an outdoor fireplace faster and easier. Instead of spending hours or even days constructing the framework of an outdoor fireplace from scratch out of blocks, Stone Age Manufacturing kits arrive on a compact pallet and assemble in just 3-4 hours with the labor of only two people.

CUSTOMIZABLE

Adjust the height of your fireplace in a variety of ways or add wood storage boxes

- Install a custom base or hearth to the height you want. Use natural stone or other materials (risers and hearth included in Standard Series)
- Use a firebox extension to increase the height of your firebox
- Add flue extensions to reach desired height (check local codes for max height)
- Install a metal or stone chimney cap to finish the fireplace

Customize fireplace kits with accessories to reach the height you want.



BENEFITS OF STONE AGE OUTDOOR FIREPLACE KITS



STONE AGE OUTDOOR

QUICK & EASY INSTALLATION

Once your concrete footing is ready, Stone Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.




QUALITY CONSTRUCTION

Stone Age kits are solid construction, not hollow and are made from refractory cement reinforced with rebar.



PROPER DRAFT

Design takes the guesswork out of creating a proper draft and great fires. Larger flue keeps smoke flowing upward and not out of the front of the fireplace.




TRADITIONAL OUTDOOR FIREPLACE KITS

Contractor & Standard



The **Contractor Series** offers Stone Age design and materials distilled down to its essential components of fireplace and chimney. Customize height with additional options such as firebox and flue extensions.

The **Standard Series** includes the Contractor base kit, plus firebrick, an additional flue extension, 18" risers, and hearth.



Contractor Base Kit

Standard Fireplace Series

CONTRACTOR FIREPLACE KIT *Includes base kit, plus 3 flue extensions (6" each)*

36"

11.00"
22.50"
R32.10
35.50"
Rear Width
39.00"
Front Width

Overall Dimensions:
73.5"H x 46"W x 33"D
Weight: 1,250 lbs.

48"

11.00"
22.25"
R55.00
47.50"
Rear Width
51.00"
Front Width

Overall Dimensions:
77.5"H x 58"W x 33"D
Weight: 1,490 lbs.

STANDARD FIREPLACE KIT *Includes base kit, plus 4 flue extensions (6" each), firebrick, 18" risers and hearth.*

36"

22.50"
35.50"
Rear Width
39.00"
Front Width

Overall Dimensions:
98.4"H x 46"W x 40"D
Weight: 2,190 lbs.

48"


22.50"
47.50"
Rear Width
51.00"
Front Width

Overall Dimensions:
102.75"H x 58"W x 40"
Weight: 2,400 lbs.


ACCESSORIES




Wood Storage Box - Arched
(Straight Available)
36"H x 36"W x 33"D



6" Flue Extension
18" x 18" x 6"



11.5" Firebox Extension



NOTES: Firebox widths are without Firebrick.

TRADITIONAL OUTDOOR FIREPLACE KITS

Contractor & Standard



CONTRACTOR FIREPLACE KIT *Includes base kit, plus 3 flue extensions (6" each).*

Item # - Arched Lintel	Item # - Straight Lintel	Description	Retail
SA-36CN	SA-36CN-SL	36" Contractor Kit - Single Sided	\$3,103
SA-36CN-SEETHRU	SA-36CN-SL-SEETHRU	36" Contractor Kit - See-Thru	\$3,103
SA-48CN	SA-48CN-SL	48" Contractor Kit - Single Sided	\$3,757
SA-48CN-SEETHRU	SA-48CN-SL-SEETHRU	48" Contractor Kit - See-Thru	\$3,757

STANDARD FIREPLACE KIT *Includes base kit, plus 4 flue extensions (6" each), firebrick, 18" risers and hearth.*

Item # - Arched Lintel	Item # - Straight Lintel	Description	Retail
SA-36STD-K	SA-36STD-SL-K	36" Standard Kit - Single Sided	\$4,754
SA-36STD-SEETHRU-K	SA-36STD-SL-SEETHRU-K	36" Standard Kit - See Thru	\$4,754
SA-48STD-K	SA-48STD-SL-K	48" Standard Kit - Single Sided	\$5,741

WOOD STORAGE BOXES

Item # - Arched	Item # - Straight	Description	Retail
SA-WCA-K	SA-WCS-K	Wood Storage Box (36"H x 36"W x 33"D)	\$1,275
SA-WAA-K	—	Angled Adapter for Wood Storage Box	\$636

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$150
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FL-EXT	6" Flue Extension	\$125
SA-SFB-WHT	Firebrick - White Splits	\$3.50
SA-36-EXT	36" Single Sided Firebox Extension - 11 ½"	\$673
SA-36-ST-EXT	36" See Thru Firebox Extension - 11 ½"	\$447
SA-48-EXT	48" Single Sided Firebox Extension - 11 ½"	\$787
SA-48-ST-EXT	48" See Thru Firebox Extension - 11 ½"	\$447

SPECIFICATIONS

Finishing Requirements: *Hi-Temp Mortar (SA-APRM or SA-MXTH) required for assembly and warranty.*

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-36CN	4 Buckets	4 Buckets	85	26	85 Splits
SA-36CN See-Thru	4 Buckets	4 Buckets	79	26	61 Splits
SA-48CN	5 Buckets	5 Buckets	109	26	105 Splits
SA-48CN See-Thru	5 Buckets	5 Buckets	101	26	73 Splits
SA-36STD	4 Buckets	4 Buckets	100	32	Included
SA-36STD See-Thru	4 Buckets	4 Buckets	94	32	Included
SA-48STD	5 Buckets	5 Buckets	125	32	Included
SA-FL-EXT	1 Bucket per 8 Extensions	1 Bucket per 8 Extensions	4 per Extension	2 per Extension	N/A

CURE TIME: *For proper curing, please wait a minimum of 28 days before lighting any fires.*

CONCRETE FOOTING REQUIRED — *check local codes, but we recommend extending down to the frost line in your area.*

NEW AGE FIREPLACE SERIES

Why Choose a Zero-Clearance Fireplace Kit



STONE AGE OUTDOOR



INDOOR/OUTDOOR

New Age fireplace kits are UL-127/ULC-S610 Certified for outdoor or indoor applications, and ICC-ES AC156 Certified for Seismic Resistance. Use vented gas logs or wood burning.



MODERN LOOK

The flat top design of New Age Fireplace kits, not only gives a modern look, but also makes for easy construction and mounting televisions above fireplaces.



PAVILIONS AND PERGOLAS

The Zero Clearance rating for New Age kits means you can build directly onto the base kit, which means they build seamlessly and safely into backyard pavilions and pergolas.

NEW AGE FIREPLACE SERIES



Benefits of Fireplace Kits



ZERO CLEARANCE

The design of New Age masonry chimneys incorporates the necessary “air gap” making it possible for framing to be in contact with the fireplace. A clay flue sits separately inside concrete outer blocks giving the fireplace its Zero Clearance rating.

STONE AGE OUTDOOR



QUICK & EASY INSTALLATION

Once your concrete footing is ready, New Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.



INDOOR/OUTDOOR FIREPLACE KITS


New Age Zero Clearance




New Age fireplace kits are rated Zero-Clearance, meaning you can safely build right up to the chimney, which makes it great for mounting TVs. New Age kits can be installed using masonry chimneys or metal pipe, in both indoor and outdoor applications

NEW AGE FIREPLACE KITS


STONE AGE OUTDOOR




Overall Dimensions:
66.5"H x 48"W x 30"D
Weight: 2,300 lbs.




Overall Dimensions:
66.5"H x 54"W x 30"D
Weight: 2,500 lbs.



Overall Dimensions:
72.5"H x 60"W x 30"D
Weight: 2,860 lbs.



Overall Dimensions:
85"H x 72"W x 30"D
Weight: 3,900 lbs.



Overall Dimensions:
85"H x 84"W x 30"D
Weight: 4,900 lbs.

ACCESSORIES



Wood Storage Box - Straight
(Arched Available)
Dimensions: 36"H x 36"W x 30"D



8" Flue Extension



Clay Flue



14" Firebox Extension

INDOOR/OUTDOOR FIREPLACE KITS

New Age Zero Clearance



NEW AGE FIREPLACE KITS

Item # - Straight Lintel	Item # - Arched Lintel	Description	Retail
SA-NA-36	SA-NA-36-AL	36" New Age Fireplace Kit	\$3,399
SA-NA-42	SA-NA-42-AL	42" New Age Fireplace Kit	\$3,787
SA-NA-48	SA-NA-48-AL	48" New Age Fireplace Kit	\$4,175
SA-NA-60		60" New Age Fireplace Kit	\$6,211
SA-NA-72		72" New Age Fireplace Kit	\$7,143

MASONRY CHIMNEY EXTENSIONS Requires both clay flue and outer block extension. 60" and 72" models require double flue. (For metal chimney, see page 11.)

Item #	Description	Compatible With	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	42", 48"; 72" (double flue)	\$148
SA-FL1317	24" Clay Flue Tile - 13" x 17"	42", 48"; 72" (double flue)	\$118
SA-2323-8	8" Outer Block Flue Extension - 23" x 23"	36"; 60" (double flue)	\$140
SA-FL1313	24" Clay Flue Tile - 13" x 13"	36"; 60" (double flue)	\$80

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"H x 36"W x 30"D)	\$1,275
SA-WAA-NA-K	—	Angled Adapter for Wood Storage Box	\$636

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$150
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-NA-3639-EXT	36" New Age Fireplace Extension - 14"	\$739
SA-NA-4245-EXT	42" New Age Fireplace Extension - 14"	\$787
SA-NA-4851-EXT	48" New Age Fireplace Extension - 14"	\$869
NE-V942	42" Throat Mount Damper	\$533
NE-V948	48" Throat Mount Damper	\$626
NE-V360	60" Throat Mount Damper	\$1,713
NE-V372	72" Throat Mount Damper	\$2,123

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar (SA-APRM or SA-MXTH) required for assembly and warranty.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-NA-36	5 Buckets	4 Buckets	95	32	110 Full
SA-NA-42	6 Buckets	5 Buckets	105	32	120 Full
SA-NA-48	7 Buckets	6 Buckets	115	34	150 Full
SA-NA-60	8 Buckets	7 Buckets	140	36	175 Full
SA-NA-72	9 Buckets	8 Buckets	165	36	200 Full

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

NEW AGE FIREPLACE SERIES



Chimney Construction



MASONRY CHIMNEY

New Age™ kits are available in all-masonry, zero clearance configurations, where structural framing may be placed in direct contact with the kit and its masonry chimney. A separate clay flue sits within the concrete outdoor block to create an “air gap” necessary for Zero Clearance applications. Larger fireplaces (60”, 72”) require double chimneys.

STONE AGE OUTDOOR



Air Gap



8” Flue Extension Outer Blocks

Add 1 bucket of mortar per 8 additional flue extensions.




Clay Flue

Item #	Description	Retail
SA-2323-8	23” x 23” x 8” Outer Block (for 36”, 60”*)	\$140
SA-FL1313	13” x 13” x 24” Clay Flue (for 36”, 60”*)	\$80
SA-2226-8	22” x 26” x 8” Outer Block (for 42”, 48”, 72”*)	\$148
SA-FL1317	13” x 17” x 24” Clay Flue (for 42”, 48”, 72”*)	\$118

*60” and 72” New Age models require a double chimney stack.

METAL CHIMNEY

New Age™ kits may be used with 14” or 16” UL-103 metal chimney. However, please note that unlike our masonry flue, the metal chimney will need a 2” clearance from combustibles. Metal chimney is ideal in situations where total weight could become an issue and is around ten times faster to install vs. a masonry flue. Larger fireplaces (60”, 72”) require double chimney.



Chimney Adaptor

For Metal Chimney flue installations 14” or 16”



- New Age 36” = 14” Diameter
- New Age 42” = 16” Diameter
- New Age 48” = 16” Diameter
- New Age 60” = 14” Diameter x 2
- New Age 72” = 16” Diameter x 2

See page 11 for metal chimney components and pricing.

METAL-FAB FOR NEW AGE

Chimney Components



Chimney Sections



Elbow



Anchor Plate w/Damper



Firestop Assembly



Attic Insulation Shield

14" compatible with New Age 36" (SA-NA-36), New Age 60" (SA-NA-60 – requires double chimney)

16" compatible with New Age 42" (SA-NA-42), New Age 48" (SA-NA-48), New Age 72" (SA-NA-72 – requires double chimney)

CHIMNEY SECTIONS

14" CHIMNEY

16" CHIMNEY

Description	14" Item #	14" Retail
6" Chimney Length, Air Cooled	14AIRTG6	\$149
12" Chimney Length, Air Cooled	14AIRTG12	\$162
18" Chimney Length, Air Cooled	14AIRTG18	\$192
36" Chimney Length, Air Cooled	14AIRTG36	\$307
48" Chimney Length, Air Cooled	14AIRTG48	\$357

16" Item #	16" Retail
–	–
16ATG12	\$178
16ATG18	\$220
16ATG36	\$344
16ATG48	\$357

ELBOW

Description	14" Item #	14" Retail
15° Elbow, Air Cooled Temp/Guard	14AIRTGA15	\$314
30° Elbow, Air Cooled Temp/Guard	14AIRTGA30	\$314

16" Item #	16" Retail
16ATGA15	\$344
16ATGA30	\$344

ANCHOR PLATE

Description	14" Item #	14" Retail
Anchor Plate with Damper	SA-14AIRTGAPD	\$992

16" Item #	16" Retail
SA-16ATGAPD	\$1,042

FIRESTOPS/SHIELDS

Description	14" Item #	14" Retail
Ceiling Firestop	14AIRTGFSA	\$96
Attic Insulation Shield	14AIRTGIS	\$613

16" Item #	16" Retail
16ATGFSA	\$290
16ATGIS	\$618

CHIMNEY TOPS/STORM COLLAR

Description	14" Item #	14" Retail
Chimney Cap (430 SS Casing)	14AIRTGC	\$492
Storm Collar	14AIRTGSC	\$59
Chase Top Flashing	14AIRTGFC	\$288

16" Item #	16" Retail
16ATGC	\$564
16ATGSC	\$55
16ATGFC	\$272

STONE AGE OUTDOOR

PIZZA OVEN KITS

Vecchio, Mezzo & Amerigo





STONE AGE OUTDOOR




Stone Age Pizza Oven Kits can be assembled by 2 people in just 2-4 hours and veneered the same day. Ovens reach up to 800° and can cook a pizza in 90 seconds.

34" VECCHIO PIZZA OVEN *Base sold separately.*




Overall Dimensions:
42"H x 34"W x 42"D
Dome Height: 29"
Cooking Surface: 600 Sq. In.
Weight: 1,100 lbs.

48" AMERIGO PIZZA OVEN *Base sold separately.*





Overall Dimensions:
42.5"H x 48"W x 42"D
Dome Height: 30"
Cooking Surface: 1,500 Sq. In.
Weight: 1,230 lbs.

36" MEZZO PIZZA OVEN *Base sold separately.*



Overall Dimensions:
36"H x 36"W x 33"D
Dome Height: 23.5"
Cooking Surface: 800 Sq. In.
Weight: 750 lbs.

36" MEZZO VENT-FREE FIREPLACE PIZZA OVEN



Overall Dimensions:
75"H x 46"W x 42"D
(33"D without pizza shelf)
Dome Height: 23.5"
Firebox Width: 36"
Cooking Surface: 800 Sq. In.
Weight: 3,306 lbs.

PIZZA OVEN KITS

Vecchio, Mezzo, Amerigo



STONE AGE OUTDOOR

Stone Age Pizza Oven Kits can be assembled by 2 people in just 2-4 hours and veneered the same day. Ovens reach up to 800° and can cook a pizza in 90 seconds. Mezzo Vent-free Fireplace/Pizza Oven combines pizza oven with a gas insert fireplace base.

PIZZA OVEN KITS *Metal door and firebrick included.*

Item # - Arched Lintel	Description	Retail
SA-VPO-34	34" Vecchio Pizza Oven Kit <i>(Uses Mezzo base, sold separately)</i>	\$2,745
SA-MPO-36	36" Mezzo Pizza Oven Kit <i>(Base sold separately)</i>	\$3,276
SA-APO-48	48" Amerigo Pizza Oven Kit <i>(Base sold separately)</i>	\$4,068
SA-MPO-VFC	36" Mezzo Vent-Free Fireplace/Pizza Oven Kit <i>(Fireplace is gas insert only, no wood burning.)</i>	\$6,794

WOOD STORAGE BOXES/BASES

Item # - Arched	Item # - Straight	Description	Retail
SA-MCA-36-K	SA-MCS-36-K	Mezzo Wood Storage Box/Base (44"H x 36"W x 33"D)	\$1,275
SA-PCA-48-K	—	Amerigo Wood Storage Box/Base (44"H x 48"W x 33"D)	\$1,523

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$150
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FLAPO	12" Pizza Oven Flue Extension (9.5"L x 12"H x 9.5"D)	\$100

SPECIFICATIONS

Finishing Requirements: *Hi-Temp Mortar (SA-APRM or SA-MXTH) required for assembly and warranty.*

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-VPO-34	2 Buckets	2 Buckets	32	16	Included
SA-MPO-36	2 Buckets	1-2 Buckets	25	14	Included
SA-APO-48	3 Buckets	2 Buckets	35	14	Included
SA-MPO-VFC	5 Buckets	5 Buckets	67	24	Included

CURE TIME: *For proper curing, please wait a minimum of 28 days before lighting any fires.*


CONCRETE FOOTING REQUIRED — *check local codes, but we recommend extending down to the frost line in your area.*

PIZZA OVEN/FIREPLACE COMBOS

Wood Burning




CAMINETTO MEDEO



Overall Dimensions:
82"H x 72"W x 30"D
Cooking Surface: 800 Sq. In.
Weight: 6,006 lbs.

CAMINETTO GRANDE



Overall Dimensions:
83.5"H x 84"W x 30"D
Cooking Surface: 800 Sq. In.
Weight: 7,114 lbs.

STONE AGE OUTDOOR

The Caminetto models are based on the Mezzo Pizza Oven and New Age Fireplace bases. Fire or Pizza or both in one structure.

PIZZA OVEN/FIREPLACE COMBO KITS *Metal door and firebrick included.*

Item #	Description	Retail
SA-CMO-63	Caminetto Medeo Fireplace/Pizza Oven Combo	\$10,483
SA-CGO-75	Caminetto Grande Fireplace/Pizza Oven Combo	\$11,607

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"h x 36"w x 30"d)	\$1,275
SA-WAA-NA-K	—	Angled Adapter for Wood Storage Box	\$636

MASONRY CHIMNEY EXTENSIONS *Requires both clay flue and outer block extension. 60" and 72" models require double flue.*

Item #	Description	Compatible With	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	Caminetto Grande & Medeo	\$148
SA-FL1317	24" Clay Flue Tile - 13" x 17"	Caminetto Grande & Medeo	\$118
SA-FLAPO	12" Pizza Oven Flue Extension	Caminetto Grande & Medeo	\$100

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$150
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195

SPECIFICATIONS

Finishing Requirements: *Hi-Temp Mortar (SA-APRM or SA-MXTH) required for assembly and warranty.*

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-CGO-63	8 Buckets	8 Buckets	140	36	Included
SA-CGO-75	9 Buckets	9 Buckets	165	36	Included

CURE TIME: *For proper curing, please wait a minimum of 28 days before lighting any fires.*

CONCRETE FOOTING REQUIRED — *check local codes, but we recommend extending down to the frost line in your area.*

FIRE PIT KITS

Woodburning
or Gas Insert



STONE AGE OUTDOOR

Ready-to-finish concrete fire pit bases for woodburning or gas insert fire pits. Assemble in 1-2 hours, veneer the same day. Shown with Glacier Grey Natural Stone Capstone, above.

FIRE PIT KITS *Firebrick sold separately.*

Item #	Description	Inside Dimensions*	Outside Dimensions	Height w/ Feet	Height w/o Feet	Retail
SA-SRP	42" Short Round Fire Pit	36"	42"	16 ½"	14"	\$885
SA-TRP	42" Tall Round Fire Pit	36"	42"	27"	24 ½"	\$1,179
SA-LRP	48" Large Round Fire Pit	42"	48"	20 ½"	18"	\$1,179
SA-SQP	42" Square Fire Pit	36" x 36"	42" x 42"	17"	14 ½"	\$999

*Inside dimensions are without Firebrick.

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$150
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-SQP-EXT	12" Rectangular Extension with Base for SA-SQP (adds 12" length to Square Fire Pit)	\$146
NEW UPK180C-29U	Gas Insert Kit - Compatible with 42" Round <i>(See page 16 for details.)</i>	\$1,473
NEW UPK240C-35U	Gas Insert Kit - Compatible with 48" Round <i>(See page 16 for details.)</i>	\$1,772
NEW UPK180S-29U	Gas Insert Kit - Compatible with 42" Square <i>(See page 16 for details.)</i>	\$1,473

CAPSTONES *3-pieces, natural stone, round only.*

Item #	Description	Compatible With	Inside Diameter	Outside Diameter	Cap Width	Thickness	Retail
FPCAP-29X51	29" Glacier Gray Capstone	42" Round	29"	51"	11"	2"	\$699
FPCAP-36X58	36" Glacier Gray Capstone	48" Round	36"	58"	11"	2"	\$799

SPECIFICATIONS *Finishing Requirements: Hi-Temp Mortar (SA-APRM or SA-MXTH) required for assembly and warranty.*

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Coping	Firebrick Required
SA-SRP	2 Buckets	1 Bucket	15	11	51 Full
SA-TRP	2 Buckets	1 Bucket	25	11	75 Full
SA-LRP	2 Buckets	1 Bucket	25	11	76 Full
SA-SQP	2 Buckets	1 Bucket	20 (5 corners)	14	73 Full
SA-SQP-EXT	1 Bucket	1 Bucket	2	2	19 Full


CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

BURNER KITS FOR FIRE PITS

Warming Trends® Universal Burner Kits are designed to give you the parts needed to set up a gas insert for a fire pit including: Warming Trends CROSSFIRE® Brass Universal Burner (works for both NG and LP), Aluminum Plate, FK1 Key Valve Kit with Flex Line and Extension, and Universal Flexible Installation Collars, and Match Light Ignition – additional ignition upgrades available. The following kits will fit Stone Age Fire Pit Kits. *Media and Vent Kit not included

STONE AGE OUTDOOR



UNIVERSAL BURNER KITS TO FIT STONE AGE FIRE PITS

Includes: Warming Trends CROSSFIRE® Brass Universal Burner, Aluminum Plate, FK1 Key Valve Kit with Flex Line and Extension, Universal Flexible Installation Collars, and Match Light Ignition – additional ignition upgrades available. Media not included.

Item #	Compatible With	Burner	Plate	Collars	Lava Rock [§] Required	Retail
NEW UPK180C-29U	42" Round	U180	29"	5	60 lbs	\$1,473
NEW UPK240C-35U	48" Round	U240	35"	6	86 lbs	\$1,772
NEW UPK180S-29U	42" Square	U180	29"	5	75 lbs	\$1,473

IGNITION KITS

Item # NG	Item # LP	Description	Retail
PBIK-PBMBR	PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket	\$162
MERC-NG	MERC-LP	Mercury Manual Ignition w/ Mounting Bracket (<240K)	\$839

ACCESSORIES

Item #	Description	Retail
BLR	Lava Rock 1" - 1 1/2", Black (40 lb bag)	\$55
FPVK	Fire Pit Vent Kit - Set of 2 (4" x 12", includes hardware)	\$61
DTES1HR	1-Hour Dial Timer with Emergency Shut-Off (Compatible with burners up to 170k BTU's)	\$202

§ Fireglass or Lava Stones = 2x Lava Rock Max Weight - see Warming Trends section for additional media options.