



OUTDOOR GAS FIREPLACES & FIREBOXES

TRADITIONAL | LINEAR | GAS LOGS

REV: 07/22/26

Outdoor Gas Fireplaces make entertaining easy and convenient but factors such as safety, function, and aesthetics should all be considered when making your choice. It's helpful to know the fireplace types, installation parameters, features and benefits of each type of appliance before purchasing a fireplace. Take a moment to get a better understanding of the fireplace types before planning your project. Always refer to the owner's manual for proper installation practices.

LITERATURE

Item #	Description
01064	Carol Rose Fireplaces & Fireboxes
785724M	Superior VRE 3200 VF Fireplace
785704M	Superior VRE 4600 VF Linear Fireplace
785723M	Superior VRE 4200 VF Firebox
785692M	Superior Mega-Flame VF Gas Logs

TABLE OF CONTENTS

TRADITIONAL VENTLESS FIREPLACE

Carol Rose 36" & 42" Fireplaces	2
Superior 36" & 42" Fireplaces	3

TRADITIONAL VENTLESS GAS FIREBOXES

Carol Rose 36" & 42" Fireboxes	4
Carol Rose Firebox Burners & Logs	5
Superior 36" & 42" Fireboxes	6
Superior Firebox Burners & Logs	7
Hargrove Gas Logs	11

LINEAR VENTLESS FIREPLACES

Carol Rose	8
Superior	10

KEY VALVES & KEYS 12

36" & 42" FIREPLACE COMPLETE

Gas Ventless Outdoor Fireplace



Select one Fireplace and Wildwood Log Set to make a complete fireplace. For Outdoor Use Only.

OUTDOOR FIREPLACE (Requires Wildwood Log Set)

Item # - NG	Item # - LP	Description	Ignition	Retail
OP36FP72MN	OP36FP72MP	36" Fireplace with Stainless Steel Front & Refractory Liner (Includes Variable Remote Control. Requires 24" Wildwood Log Set.)	IPI	\$3,259
OP36FP32MN	OP36FP32MP	36" Fireplace with Stainless Steel Front & Refractory Liner (Includes On/Off Switch. Requires 24" Wildwood Log Set.)	Millivolt	\$2,919
OP42FP72MN	OP42FP72MP	42" Fireplace with Stainless Steel Front & Refractory Liner (Includes Variable Remote Control. Requires 30" Wildwood Log Set.)	IPI	\$3,559
OP42FP32MN	OP42FP32MP	42" Fireplace with Stainless Steel Front & Refractory Liner (Includes On/Off Switch. Requires 30" Wildwood Log Set.)	Millivolt	\$3,199

LOG SET (Required)

Item #	Description	Retail
OLX24WR	24" Wildwood Refractory Log Set, 7 pc (Compatible with OP36FP)	\$455
OLX30WR	30" Wildwood Refractory Log Set, 7 pc (Compatible with OP42FP)	\$499

ACCESSORIES

Item #	Description	Retail
BDO36SS	36" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door)	\$669
WD36SS	36" SS Weather Door (Cannot be used with SS Bi-Fold Door)	\$355
DT36SS	36" SS Drain Tray (Adds 1" to framing height)	\$429
BDO42SS	42" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door)	\$789
WD42SS	42" SS Weather Door (Cannot be used with SS Bi-Fold Door)	\$395
DT42SS	42" SS Drain Tray (Adds 1" to framing height)	\$509
GT060	E-Stop Gas Timer, 1 - 60 Min	\$299
GTCSS	E-Stop Timer Compartment, Stainless Steel	\$359
SKY-1001-A	Remote, On/Off - DC (Millivolt Only)	\$161

SPECIFICATIONS

Model	BTU's	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
OP36FP72M	50,000	36"W x 24 1/4"H	41"	36"*	19 1/4"
OP42FP72M	50,000	40"W x 24 1/4"H	45"	36"*	19 1/4"

(*Drain Tray Adds 1" to framing height)

36" & 42" FIREPLACE COMPLETE

Gas Ventless Outdoor Fireplace



OUTDOOR GAS FIREPLACES



Superior Outdoor Fireplaces include ceramic fiber log sets and grate with choice of refractory panel style. Outdoor Use Only.

OUTDOOR FIREPLACE

Item #	Description	Refractory Panels	Retail
VRE3236ZENWS	36" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.)	White Stacked	\$3,899
VRE3236ZENWH	36" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.)	White Herringbone	\$3,999
VRE3242ZENWS	42" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.)	White Stacked	\$4,249
VRE3242ZENWH	42" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.)	White Herringbone	\$4,359

ACCESSORIES

Item #	Description	Retail
DPSS36	36" Drain Pan (Increases framing height by 3/4")	\$314
WC36SL	36" Outdoor Weather Cover, Stainless Steel	\$472
HOOD36ODSL	36" Outdoor Hood Kit, Brushed Stainless Steel	\$314
DPSS42	42" Drain Pan (Increases framing height by 3/4")	\$427
WC42SL	42" Outdoor Weather Cover, Stainless Steel	\$506
HOOD42ODSL	42" Outdoor Hood Kit, Brushed Stainless Steel	\$371
GCKSLXNP	Conversion Kit, NG to LP (For use with 36" and 42" units)	\$137
FDVS	Decorative Volcanic Stone (3 lbs)	\$34



White Stacked Refractory Panel



White Herringbone Refractory Panel



Weather Cover

SPECIFICATIONS

Model	BTU's	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
VRE3236	30,000-45,000	37"W x 28 1/2"H	42 3/4"	46 1/2"***	20 1/2"
VRE3242	30,000-45,000	43"W x 28 1/2"H	48 3/4"	46 1/2"***	20 1/2"

**Add 3/4" if using Drain Pan

* Consult a manual for complete installation requirements.

36" & 42" FIREBOX

Ventless Fireboxes

The Carol Rose Outdoor Fireplace Collection includes complete outdoor fireplace systems, contemporary burners and traditional log sets and burners. All our outdoor hearth products feature stainless steel for all exterior surfaces to provide lasting beauty. With its concealed controls, your outdoor fireplace will present a clean sleek look.



Select one Ventless Outdoor Firebox, Loft Series Contemporary Burner or Wildwood Log Set w/Harmony Burner (see page 5) to make a complete fireplace. For Outdoor Use Only.

VENTLESS OUTDOOR FIREBOX (Requires Burner and Logs, see page 5)

Item #	Description	Requires Burner	Retail
OP36FB2MF	36" Firebox with Stainless Steel Front & Refractory Brick	24" Burner	\$1,719
OP42FB2MF	42" Firebox with Stainless Steel Front & Refractory Brick	30" Burner	\$1,879

ACCESSORIES

Item #	Description	Retail
BDO36SS	36" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door)	\$669
WD36SS	36" SS Weather Door (Cannot be used with SS Bi-Fold Door)	\$355
DT36SS	36" SS Drain Tray (Adds 1" to framing height)	\$429
BDO42SS	42" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door)	\$789
WD42SS	42" SS Weather Door (Cannot be used with SS Bi-Fold Door)	\$395
DT42SS	42" SS Drain Tray (Adds 1" to framing height)	\$509



Bi-Fold Glass Doors



Weather Door



Drain Tray

SPECIFICATIONS

Model	Fireplace Opening	Minimum Framing Dimensions*		
		Width	Height	Depth
OP36FB2MF	36"W x 24 1/4"H	41"	36"*	19 1/4"
OP42FB2MF	40"W x 24 1/4"H	45"	36"*	19 1/4"

(*Drain Tray Adds 1" to framing height)

24" & 30" BURNERS & LOGS

Ventless Outdoor Gas Logs



Loft Burner

24" log sets are compatible with large 36" fireboxes. 30" sets are compatible with larger 42" fireplaces.
For Outdoor Use Only.

WILDWOOD LOG SET *(For use with Outdoor Firebox. Harmony Burner Required)*

Item #	Description	Retail
OLX24WR	24" Wildwood Refractory Log set, 7 pc (Requires 24" Harmony Burner)	\$455
OLX30WR	30" Wildwood Refractory Log set, 7 pc (Requires 30" Harmony Burner)	\$499

HARMONY BURNERS *(For use with Outdoor Firebox. Log Set Required)*

Item # - NG	Item # - LP	Description	BTU's	Retail
ONI24N	ONI24P	24" Harmony Burner, Intermittent Ignition (Includes Variable Remote Control, Requires 24" Wildwood Log Set)	50,000	\$1,659
ONR24N	ONR24P	24" Harmony Burner, Millivolt Ignition (Includes On/Off Switch, Requires 24" Wildwood Log Set)	50,000	\$1,179
ONI30N	ONI30P	30" Harmony Burner, Intermittent Ignition (Includes Variable Remote Control, Requires 30" Wildwood Log Set)	50,000	\$1,739
ONR30N	ONR30P	30" Harmony Burner, Millivolt Ignition (Includes On/Off Switch, Requires 30" Wildwood Log Set)	50,000	\$1,289

LOFT SERIES CONTEMPORARY BURNER *(For use with Outdoor Firebox.)*

Item # - NG	Item # - LP	Description	BTU's	Retail
OLI24N	OLI24P	24" Loft Burner, Intermittent Ignition (Includes Variable Remote Control)	36,000	\$1,639
OLI30N	OLI30P	30" Loft Burner, Intermittent Ignition (Includes Variable Remote Control)	40,000	\$1,749

ACCESSORIES

Item #	Description	Retail
GT060	E-Stop Gas Timer, 1 - 60 Min	\$299
GTCSS	E-Stop Timer Compartment, Stainless Steel	\$359
SKY-1001-A	Remote, On/Off - DC (Millivolt Only)	\$161



Loft IPI Burner



Wildwood Log Set

36" & 42" FIREBOXES

Ventless Fireboxes



Select a Firebox plus a Log Set and a Burner to make a complete fireplace. Choose between two refractory panel styles. For Outdoor Use Only.

VENTLESS FIREBOX

(Giant Timber Logs & Burner Sold Separately. See page 7 for Log Set.)


Item #	Description	Refractory Panels	Log Set & Burner Size	Retail
VRE4236WS	36" Firebox	White Stacked	24" Log Set & 24" Burner	\$2,179
VRE4236WH	36" Firebox	White Herringbone	24" Log Set & 24" Burner	\$2,289
VRE4242WS	42" Firebox	White Stacked	30" Log Set & 24" Burner	\$2,649
VRE4242WH	42" Firebox	White Herringbone	30" Log Set & 24" Burner	\$2,779

ACCESSORIES

Item #	Description	Retail
DPSS36	36" Drain Pan (Increases framing height by 3/4")	\$314
HOOD36ODSL	36" Outdoor Hood Kit, Brushed Stainless Steel	\$314
DPSS42	42" Drain Pan (Increases framing height by 3/4")	\$427
HOOD42ODSL	42" Outdoor Hood Kit, Brushed Stainless Steel	\$371



White Stacked Refractory Panel



White Herringbone Refractory Panel

SPECIFICATIONS

Model	Fireplace Opening	Minimum Framing Dimensions*		
		Width	Height	Depth
VRE4236	36"W x 28"H	42 3/4"	46 1/2"*	20 1/2"
VRE4242	42"W x 28"H	48 3/4"	46 1/2"*	20 1/2"

*Add 3/4" if using Drain Pan

GAS LOGS & BURNERS

Ventless Outdoor Gas Logs



OUTDOOR GAS FIREPLACES



Select a Log Set (using 2 part numbers ending with TA + TB) and a Burner to make a complete log set. 24" sets are compatible with large 36" fireboxes. 30" sets are compatible with larger 42" fireplaces. 36" sets are compatible with a 48" and larger firebox. For Outdoor Use Only.

MEGA-FLAME LOG SETS (Choose 2 - TA & TB of the same name/size, Requires Burner)

Item #	Description	Burner Size Required	Retail
LMF24GTA	Giant Timbers 24" Logs, Concrete (1 of 2)	24"	\$209
LMF24GTB	Giant Timbers 24" Logs, Concrete (2 of 2)	24"	\$209
LMF30GTA	Giant Timbers 30" Logs, Concrete (1 of 2)	24"	\$259
LMF30GTB	Giant Timbers 30" Logs, Concrete (2 of 2)	24"	\$259
LMF36GTA	Giant Timbers 36" Logs, Concrete (1 of 2)	30"	\$279
LMF36GTB	Giant Timbers 36" Logs, Concrete (2 of 2)	30"	\$279

BURNERS (Includes Variable Remote Control. Requires Log Set)

Item # - NG	Item # - LP	Description	BTU's	Retail
MNF24ONE	MNF24OPE	24" Ember Bed Stainless Burner, Electronic Ignition (Requires 24" or 30" Giant Timbers Log Set)	29,000-40,000	\$1,929
MNF30ONE	MNF30OPE	30" Ember Bed Stainless Burner, Electronic Ignition (Requires 36" Giant Timbers Log Set)	29,000-40,000	\$2,139

OPTIONAL ACCESSORIES

Item #	Description	Retail
LAMF	Accessory Log Kit for Giant Timbers	\$224
FDVS	Decorative Volcanic Stone (3 lbs)	\$34
GA6080	Damper Clamp (Required in vented applications)	\$34
GA6050	Black Fireplace Hood	\$157



Giant Timbers, Concrete



Accessory Log Kit for Giant Timbers (LAMF)

LINEAR OUTDOOR FIREPLACES

Ventless Single Sided



Select one Linear Fireplace and Accent Glass (decorative glass may be added to area surrounding burner) to make a complete fireplace. See below for framing dimensions. For Outdoor Use Only. (Spark Ignition - Remote Not Available)

SINGLE-SIDED LINEAR OUTDOOR FIREPLACES *(Requires Accent Glass)*

Item # - NG	Item # - LP	Description	Required Accent Glass	Retail
OLL48FP12SN	OLL48FP12SP	48" Single-Sided Linear Outdoor Fireplace	8 sq ft	\$4,359
OLL60FP12SN	OLL60FP12SP	60" Single-Sided Linear Outdoor Fireplace	10 sq ft	\$5,545
OLL72FP12SN	OLL72FP12SP	72" Single-Sided Linear Outdoor Fireplace	12 sq ft	\$8,999

ACCENT GLASS *(Required)*

Item #	Description	Retail
DG1CLF	Crushed Glass, Clear Frost (1 sq ft)	\$83
DG1BZR	Crushed Glass, Bronze (1 sq ft)	\$83
DG1BCR	Crushed Glass, Copper (1 sq ft)	\$83

ACCESSORIES

Item #	Description	Retail
OL48RB	48" Black Glass Reflective Liner, Single-Sided	\$899
WD48LSS	48" Weather Door, Linear, SS	\$325
WG48LT1	48" Wind Guard 7"H, Linear (Taller for windy applications)	\$285
OL60RB	60" Black Glass Reflective Liner, Single-Sided	\$999
WD60LSS	60" Weather Door, Linear, SS	\$409
WG60LT1	60" Wind Guard 7"H, Linear (Taller for windy applications)	\$339
OL72RB	72" Black Glass Reflective Liner, Single-Sided	\$1,119
WD72LSS	72" Weather Door, Linear, SS	\$529
WG72LT1	72" Wind Guard 7"H, Linear (Taller for windy applications)	\$379
OSS72	72" Safety Screen, Linear	\$399
DT48LSS	Drain Tray, Linear, SS* (48", 60" & 72")	\$395
GT060	E-Stop Gas Timer, 1 - 60 Min	\$299
GTCSS	E-Stop Timer Compartment, Stainless Steel	\$359

SPECIFICATIONS

Model	BTU's	Fireplace Opening	Required Accent Glass	Minimum Framing Dimensions*		
				Width	Height	Depth
OLL48FP	55,000	48"W x 16 3/16"H	8 sq ft	52"	40 13/16"*	19 1/16"
OLL60FP	65,000	60"W x 16 3/16"H	10 sq ft	64"	31"*	19 1/4"
OLL72FP	101,000	72"W x 22"H	12 sq ft	76 1/4"	47"	19 1/2"

*Drain Tray Adds 1" to framing height

LINEAR OUTDOOR FIREPLACES

Ventless See-Through



Select one Linear Fireplace and Accent Glass (decorative glass may be added to area surrounding burner) to make a complete fireplace. See below for framing dimensions. For Outdoor Use Only. (Spark Ignition - Remote Not Available)

SEE-THROUGH LINEAR OUTDOOR FIREPLACES (Requires Accent Glass)

Item # - NG	Item # - LP	Description	Required Accent Glass	Retail
OLL48SP12SN	OLL48SP12SP	48" See-Through Linear Outdoor Fireplace	8 sq ft	\$4,659
OLL60SP12SN	OLL60SP12SP	60" See-Through Linear Outdoor Fireplace	10 sq ft	\$5,679
OLL72SP12SN	OLL72SP12SP	72" See-Through Linear Outdoor Fireplace	12 sq ft	\$10,999

ACCENT GLASS (Required)

Item #	Description	Retail
DG1CLF	Crushed Glass, Clear Frost (1 sq ft)	\$83
DG1BZR	Crushed Glass, Bronze (1 sq ft)	\$83
DG1BCR	Crushed Glass, Copper (1 sq ft)	\$83

ACCESSORIES

Item #	Description	Retail
OL4860SRB	48" / 60" Black Glass Reflective Liner, See-Through	\$699
WD48LSS	48" Weather Door, Linear, SS**	\$325
WG48LT1	48" Wind Guard 7"H, Linear ** (Taller for windy applications)	\$285
OL4860SRB	48" / 60" Black Glass Reflective Liner, See-Through	\$699
WD60LSS	60" Weather Door, Linear, SS**	\$409
WG60LT1	60" Wind Guard 7"H, Linear** (Taller for windy applications)	\$339
OL72SRB	72" Black Glass Reflective Liner, See-Through	\$699
WD72LSS	72" Weather Door, Linear, SS**	\$529
WG72LT1	72" Wind Guard 7"H, Linear** (Taller for windy applications)	\$379
OSS72	72" Safety Screen, Linear	\$399
DT48LSS	Drain Tray, Linear, SS* (48", 60" & 72")	\$395
GT060	E-Stop Gas Timer, 1 - 60 Min	\$299
GTCSS	E-Stop Timer Compartment, Stainless Steel	\$359

SPECIFICATIONS

Model	BTU's	Fireplace Opening	Required Accent Glass	Minimum Framing Dimensions*		
				Width	Height	Depth
OLL48SP	55,000	48"W x 16 3/16"H	8 sq ft	52"	40 13/16"*	22 5/16"
OLL60SP	65,000	60"W x 16 3/16"H	10 sq ft	64"	31"*	22 1/2"
OLL72SP	101,000	72"W x 22"H	12 sq ft	76 1/4"	47"	22 3/16"

*Drain Tray Adds 1" to framing height

**See-Through Requires 2

LINEAR OUTDOOR FIREPLACES

Ventless Single Sided & See Through



The VRE4600 Linear Outdoor Fireplace includes full spectrum adjustable LED interior lights, a wall-mounted control box with on/off, high/low ignition controls and Diamond Crystal large crushed glass media. Customers can customize with an optional see-through conversion kit, Onyx Black Crystal and Sapphire Blue Crystal large crushed glass media and on/off, high/low, remote controls. For Outdoor Use Only.

LINEAR OUTDOOR FIREPLACES

Item #	Description	Retail
ODLVF48ZEN	48" Outdoor Linear Fireplace, Electronic Ignition, NG	\$6,379
ODLVF60ZEN	60" Outdoor Linear Fireplace, Electronic Ignition, NG	\$7,099
ODLVF72ZEN	72" Outdoor Linear Fireplace, Electronic Ignition, NG	\$8,669

SEE-THROUGH CONVERSION KITS

Item #	Description	Retail
LHOST48	48" See Through Conversion Kit	\$865
LHOST60	60" See Through Conversion Kit	\$1,045
LHOST72	72" See Through Conversion Kit	\$1,146

ACCESSORIES

Item #	Description	Retail
GLO-BLACK	Crushed Glass, Large Onyx Black (5 lb bag)	\$90
GLO-CRYSTAL	Crushed Glass, Large Diamond Crystal (5 lb bag)	\$90
GLO-SAPPHIRE	Crushed Glass, Large Sapphire Blue (5 lb bag)	\$90
EF-BRCK	Remote, On/Off, High/Low Electronic	\$168
EF-WWRCK	Remote, Wireless Wall Mount, On/Off, High/Low Electronic	\$168
BLWS48-B	48" Stainless Steel Outdoor Weather Cover**	\$865
BLWS60-B	60" Stainless Steel Outdoor Weather Cover**	\$1,101
BLWS72-B	72" Stainless Steel Outdoor Weather Cover**	\$1,348

PROPANE CONVERSION KITS

Item #	Description	Retail
LPK2	48" Conversion Kit, Electronic NG to LP	\$137
LPK3	60" Conversion Kit, Electronic NG to LP	\$137
LPK4	72" Conversion Kit, Electronic NG to LP	\$137

SPECIFICATIONS

Minimum Framing Dimensions*

Model	BTU's	Fireplace Opening	Width	Height	Depth
ODLVF48ZEN	24,500-43,500	48"W x 16"H	52 ½"	37 ¾"	16 ¼" Single / 15" See-Through
ODLVF60ZEN	36,000-50,000	60"W x 16"H	64 ½"	37 ¾"	16 ¼" Single / 15" See-Through
ODLVF72ZEN	42,000-65,000	72"W x 16"H	76 ½"	37 ¾"	16 ¼" Single / 15" See-Through

**Single-Sided requires 1, See-Through Requires 2

* Consult a manual for complete installation requirements.

VENT FREE GAS LOGS

Outdoor Log Sets



All Hargrove vent-free models operate as un-vented room heaters when used in a masonry or manufactured fireplace with the flue damper closed or with vent-free fireplaces listed and approved with Hargrove Products.

Vent-free log sets are dual listed and may be operated as a vent-free set or as a vented log set in a woodburning fireplace with the chimney flue damper fully or partially opened.

WEATHERED OAK

Item No - NG	Item No - LP	Burner Type	Ignition	Remote Control	Retail
VFWR18N2CSS	VFWR18P2CSS	18" Weathered Oak Logs & SS Burner	Standing Pilot	Optional	\$1,022
VFWR24N2CSS	VFWR24P2CSS	24" Weathered Oak Logs & SS Burner	Standing Pilot	Optional	\$1,042
VFWR30N2CSS	VFWR30P2CSS	30" Weathered Oak Logs & SS Burner	Standing Pilot	Optional	\$1,060

ACCESSORIES

Item No	Description	Retail
BCKGO	Decorative Bark Chips for Ember Bed	\$42
1205-BX	Pine Cone - Medium	\$29
1210-BX	Pine Cone - Large	\$32
TK-2	Decorative Twigs (2)	\$61
SKY-1001-A	On/Off Remote Control (Includes remote and receiver)	\$161
SKY-1001TH-A	Thermostatic Remote Control (Includes remote and receiver)	\$186



Weathered Oak

SPECIFICATIONS

Style	Set Size	BTU's NG	BTU's LP	Height	Front Width	Rear Width at Depth	Depth
Weathered Oak	18"	36,000	33,000	16"	21"	22"	11 3/4"
	24"	36,000	33,000	16"	27"	22"	11 3/4"
	30"	36,000	33,000	16"	33"	22"	11 3/4"

VALVES & KEYS



DANTE VALVE COMBO PACK

Includes: Dante Valve, Floor Plate, and Key

Item #	Description	Retail
CP.910.BR	Straight ½" Valve, Brass w/ Key	\$34
CP.910.CR	Straight ½" Valve, Chrome w/ Key	\$34
CP.910.FB	Straight ½" Valve, Black w/ Key - NEW	\$46
CP.911.BR	Angled ½" Valve, Brass w/ Key	\$34
CP.911.CR	Angled ½" Valve, Chrome w/ Key	\$34
CP.911.FB	Angled ½" Valve, Black w/ Key - NEW	\$46
CP.BVS2.CR.B	Straight ¾" Valve, Chrome (Key Not Included)	\$52



Straight Valve, Brass



Angled Valve, Brass

KEYS

A universal gas key is the perfect tool for controlling gas in your fireplace. Works with 1/4" and 5/16" socket sizes.

Item #	Description	Retail
NKY.3.BR	3" Gas Valve Key, Brass	\$7
NKY.3.CR	3" Gas Valve Key, Chrome	\$7
NKY.8.BR	8" Gas Valve Key, Brass	\$10
NKY.8.CR	8" Gas Valve Key, Chrome	\$10
NKY.12.BR	12" Gas Valve Key, Brass	\$15
NKY.12.CR	12" Gas Valve Key, Chrome	\$15
NKY.18.BR	18" Gas Valve Key, Brass	\$21
NKY.18.CR	18" Gas Valve Key, Chrome	\$21
NKY.24.BR	24" Gas Valve Key, Brass	\$28
NKY.24.CR	24" Gas Valve Key, Chrome	\$28



3" Polished Brass Key



3" Polished Chrome Key



Long Keys